



Forward Manufacturing Co., Inc.

# Heavy Duty and Specialty Lifts

**EXPIRED**



40000 HDL



Lube Racks — Mezzanine 4 bay



60000 HDL



27100TLR



*Engineered to Perform...  
Built to Last*

*Our 5th decade  
of quality manufacturing*

## Advantages of Forward Lifts:

- Quick set-up for undercarriage repairs and wheel service maintenance.
- Low Maintenance style lift – durable and proven
- Great Value as low investment to own & operate



### 18000 / 27000 Truck Lifts

- 18000 lb / 27000 lb Capacity
- Heavy Duty Design
- 24" Wide Runways for Ease of Use
- Leaf Chain Selected for Maximum Durability
- Heavy Duty Hydraulic Cylinder
- Alignment Designs Available
- High Capacity Rolling Bridge Jacks Available



27100TLR

### 40000 / 50000 HDL

- 40000 lb / 50000 lb Capacity
- Safety Latches in Each Leg
- 24" Wide Runways
- Low Maintenance – Proven Durability
- Alignment Designs Available
- High Capacity Rolling Bridge Jacks Available



40000 HDL

### 60000 HDL

- 60000 lb Capacity
- 28" Wide Runways
- Safety Latches in Each Leg
- Alignment Designs Available
- Special High Capacity Power Units
- High Capacity Rolling Bridge Jacks Available



60000 HDL

### Lube Racks – Multi Bay, Mezzanine

- 12000 lb Capacity
- Single, 2-Bay, 3-Bay, and 4-Bays Models
- Mezzanine Style Walkways Connecting All Lifts
- Extended Length Tracks on Mezzanine Style Lifts



Lube Racks — Mezzanine, 3 bay

### 6000 TL Quick Service Tire Lift

- 6000 lb Capacity
- Collapsed Height – 3-1/2"
- Three Position Safety w/ Automatic Release
- Ideal for Tire, Brake, and Body Shop Work



6000TL

## Benefits of buying Forward lifts:

- Designed to rigid safety standards.
- Best distributor network in the industry.
- Best Value in the industry.
- Skilled service support and prompt response.

# Specifications

	12000 LR-M Series	12000 LR	18000 HDL	27100 TLR	27100 RVL	40000 HDL	50000 HDL	60000 HDL
Capacity	12,000 lbs.	12,000 lbs.	18,000 lbs.	27,000 lbs.	27,000 lbs.	40,000 lbs.	50,000 lbs.	60,000 lbs.
Overall Height	10' 0"	10' 0"	7' 6"	7' 8"	7' 8"	12' 10"	12' 10"	13' 1"
Overall Length	27'-0"	19' 5"	25' 1"	25'-4 1/4"	34' 4"	34'-4"	38' 10"	43' 10"
Minimal Track Height	6"	6"	8"	9"	9"	9"	9"	12"
Required Ceiling Height	14'	14'	16'	16'	16'	16'	16'	16'
Maximum Lifting Height	77"	77"	66"	68"	68"	68"	68"	68"
Overall Floor Width	Model Specific	11' 3 1/2"	12' 5 1/2"	13' 5 1/2"	13' 5 1/2"	14' 3"	14' 3"	15' 6"
Inside Column Width	10' 0"	10' 0"	11' 0"	12' 0"	12' 0"	11' 10"	11' 10"	12' 4"
Track Width	22"	22"	24"	24"	24"	24"	24"	28"
Speed of Rise	45 sec	45 sec	N/A	N/A	N/A	N/A	N/A	N/A
Wheelbase Dimensions	170"	150"	234"	234"	303"	300"	360"	396"
Wheelbase 2 Wheel Alignments	N/A	N/A	1820000 216"	2720000 216"	2722000 270"	4021000 270"	5023000 330"	6025000 366"
Amperage: 208-230V, Single Phase	25	25	25	25	25	50	50	50
208-230V, Three Phase				20	20	25	25	25
460V, Three Phase						15	15	15
Motor	3HP	3HP	2HP	2HP	2HP	2HP X 2	2HP X 2	3HP X 2
Part Numbers	22X000	161000	1800000	2700000	2702000	4001000	5003000	6005000

Specifications subject to change without notice or liability

## Available Options:

- Internal Air Line Kit
- Turning Radius Gauges
- Rolling Air Jacks
- Drive Through Ramps
- Power Unit Cover
- Mobile Oil Drain Pans
- Single and 3-Phase Motors
- Custom Colors



Optional Rolling Air Jacks

*Service  
Comes  
First at  
Forward*



*Ask our customers:*

Wal•Mart Service Centers • Toyota Mfg. Plants  
Freightliner Trucks • Key Midas Franchises  
N.A.S.A. Aerospace • Department of Defense  
Saturn Retail • Governments & Municipalities  
Opryland Amusement Park (Recreational Rides)  
Disney World • OEM Car Accounts • Oil Distributors  
Bell Helicopter • City Garage Repair Centers  
Winnebago Mfg. Plant • Key Car Dealer Groups  
Radio Shack Corporation • World-wide Exports With Our  
Experienced Management Team

*... And the Very Best Distribution Network  
in the Automotive Repair Equipment Industry*

Authorized Forward Distributor:

Specifications subject to change without notice or liability

Forward Manufacturing Co., Inc.  
3010 South Main  
Fort Worth, TX 76110  
Phone: 800-423-1722  
Fax: 817-927-7329  
Sales email: [sales@forwardmfg.com](mailto:sales@forwardmfg.com)  
Service email: [service@forwardmfg.com](mailto:service@forwardmfg.com)  
Website: [www.forwardmfg.com](http://www.forwardmfg.com)

