

Unique Features, Quality Products, Value Pricing.

JohnDow Industries is leading the pack with quality, professional products for the automotive service industry.

All five of our product lines complement each other to make JohnDow Industries a leader in our industry.

For more information on our team, visit www.johndow.com.



For more information on Crew Chief, call us toll-free at 1.800.433.0708.

JohnDow Industries

151 Snyder Avenue • Barberton, Ohio 44203

Toll-Free Phone: 800.433.0708

Fax: 330.753.6419

web: www.johndow.com

e-mail: customerservice@johndow.com

Member of These Aftermarket Trade Associations:



Distributed By:

Used Oil & Fluid Handling

***Our team stands
behind yours
with performance,
reliability, and
commitment.***



A brand of JohnDow Industries



JohnDow
Crew Chief™
Used Oil & Fluid Handling

Product Quality

JohnDow Industries offers quality products engineered to help our customers achieve greater work efficiencies for a variety of service applications. Our professional tools and equipment are built to endure the rigors of automotive and heavy-duty vehicle service and maintenance.

Professional Product Offering


- Fuel Chief Portable Fuel Storage & Handling
- Crew Chief Used Oil & Fluid Handling
- EuroVent Vehicle Exhaust Extraction
- JohnDow Automotive Service Equipment
- ShopRx Automotive Service Supplies

New Product Innovations

JohnDow Industries continues to support our customers with new products designed for improved benefits and usability in the automotive aftermarket as well as Heavy-Duty, Industrial, and Marine markets.

Delivering Solutions

We believe our advantageous product offering, extensive distribution network, and experienced sales representatives are the best in the country and deliver real solutions to our customers. JohnDow products can be found through virtually every tool and equipment distributor in the country. Please click on the distributors link to locate a JohnDow distributor near you. Our sales agencies are also available to help our customers with any question or request they may have. No request is ever too small.



The Crew Chief brand is the most extensive line of oil drains and fluid handling equipment on the market today. In a market where price seems to be the key feature, the JohnDow Crew Chief line offers quality products and innovative designs that set it apart from competition. For both automotive and heavy duty truck applications the Crew Chief line includes both steel and poly constructed oil drains.



5-Gallon Heavy-Duty Portable Oil Drain

No. JDI-5DCK

- 5-gallon galvanized steel container.
- Large 14" heavy-duty polyethylene funnel.
- Tube adjusts from 40" to 67".
- 3-3/4" capped drain for easy emptying.
- High-gloss black enamel finish.
- Heavy-duty lock-on caster base.
- Weight: 20 lbs.



Caster Base

for JDI-5DC

No. JDI-5C

- Lock-on caster base keeps drain locked in place.
- Includes four 2" casters and mounting hardware.
- Weight: 4 lbs.



"Big Mouth" Transmission Drain Pan

No. JD-2436

- For long pan transmissions.
- High-impact polyethylene unit measures 38"l x 24"w x 7"h.
- Adapts to any drain with 6" or larger diameter funnel.
- Weight: 7 lbs.

8-Gallon Poly Portable Oil Drain

No. JDI-8DCP

- 8-gallon red translucent poly tank allows for easy viewing of oil level.
- 18" diameter funnel with strainer.
- 2-1/2" heavy-duty, swivel casters.
- Spout for evacuation.
- The JDI-8DCP adjusts from 48" to 67".
- Weight: 12 lbs.



18-Gallon Poly Portable Oil Drain

No. JDI-18DCP

- 18-gallon red translucent poly tank allows for easy viewing of oil level.
- 18" diameter funnel with strainer.
- 2-1/2" heavy-duty, swivel casters.
- Evacuation spout and drain valve.
- The JDI-18DCP adjusts from 48" to 71".
- Weight: 15 lbs.

Pump Assist Oil Drains



22-Gallon Portable Poly Oil Drain

No. JDI-22DCX

- 22-gallon poly tank.
- Virtually indestructible high-impact polyethylene drain is designed for the high-volume automotive service facility.
- 16" deep-drawn, offset steel funnel with expanded metal screen.
- Height adjusts from 40" to 69".
- 3" swivel casters and 10" fixed wheels.
- Pop-up fluid level indicator.
- Padded push handlebars.
- Includes gravity drain valve.
- Optional conversion kit No. 61431-2 adapts drain for use with pump evacuation system. See page 10 for details.
- Built-in filter drain.
- Weight: 58 lbs.



Built-in filter drain easily holds 4 to 5 standard oil filters, eliminating the need to transfer filters to a separate container. Molded tool pocket keeps wrenches, pliers and other tools readily accessible.



3" port opening allows easy access from the top of the drain for oil evacuation.



22-Gallon Portable Poly Antifreeze Drain

No. JDI-22DCAF

- 22-gallon poly tank.
- Virtually indestructible high-impact polyethylene drain is designed for the high-volume automotive service facility.
- 16" deep-drawn, offset steel funnel with expanded metal screen.
- Height adjusts from 40" to 69".
- 3" swivel casters and 10" fixed wheels.
- Pop-up fluid level indicator.
- Padded push handlebars.
- Includes gravity drain valve.
- Optional conversion kit No. 61431-2 adapts drain for use with pump evacuation system. See page 10 for details.
- Built-in filter drain.
- Weight: 58 lbs.



16-Gallon Portable Oil Drain

No. JDI-16DC-E

- 16-gallon H.D. steel tank.
- 16" deep-drawn, offset steel funnel with expanded metal screen.
- Positive height adjustment from 50" to 70".
- Built-in sight tube shows fluid level.
- Gravity drain valve included.
- Two 4" swivel casters and two 6" fixed wheels.
- Optional male coupler No. HA-15242-00 needed to adapt for use with pump evacuation system. See page 10 for details.
- Weight: 63 lbs.



27-Gallon Portable Poly Oil Drain

No. JDI-27GFD

- Gravity drain or pump evacuation system.
- Optional male coupler No. HA-15242-00 for pump evacuation. See page 10 for details.
- 27-gallon poly tank.
- 16" deep drawn, offset steel funnel with expanded metal screen.
- Positive height adjustment from 45" to 70".
- Built-in sight tube shows fluid level.
- Handles on all four sides for easy maneuverability.
- Heavy-duty 4" swivel casters provide stability and mobility.
- Weight: 55 lbs.



440 sq. in. of tool pocket space for "cap-style" filter wrenches and tools

Self-Evacuating Oil Drains

25-Gallon Heavy-Duty Self Evacuating Oil Drain

No. JDI-25HDC

- 25-gallon capacity steel tank.
- 16" deep-drawn, offset steel funnel with expanded metal screen.
- 360° swivel base on funnel makes positioning easy.
- Height adjustment from 50" to 70".
- Molded tray for convenient tool storage.
- Heavy-duty 4" swivel casters provide stability and mobility.
- 6' quick-disconnect discharge hose can be permanently attached to a storage tank.
- Built-in sight tube shows fluid level.
- Weight: 85 lbs.

**AUTO-CHECK
TECHNOLOGY**



Poly-molded tool tray is mounted on top of the tank for easy access to tools and fittings.



6' quick-disconnect discharge hose for permanent attachment to a storage tank allowing drain to move around freely in the shop.

25-Gallon Self-Evacuating Antifreeze Drain

No. JDI-25HDC-EA

- Green and white decal easily identifies this drain for collection of antifreeze only.

**AUTO-CHECK
TECHNOLOGY**

What is "Auto-Check Technology"?

"Auto-Check" is a unique, user-friendly feature, found only on Crew-Chief Self-Evacuating Oil Drains! Auto-Check eliminates manual ball-valves with its automatic pressure valve located at the bottom of the down tube. Emptying the drain has never been cleaner, easier or more automatic!

27-Gallon Deluxe Poly Oil Drain

No. JDI-27DC

**AUTO-CHECK
TECHNOLOGY**

- Self-evacuating with shop air.
- 6' discharge hose with "non-drip" spout.
- Fixed air regulator and pressure relief valve for added safety.
- 360° swivel funnel.
- Other features are the same as found on JDI-27GFD.




Low Profile Oil Drains

17-Gallon Poly Low-Profile Oil Drain

No. JDI-17PLP

- 17-gallon capacity.
- Made from high-impact polyethylene.
- Size: 49"l x 29 1/2"w x 7 3/4"h
- T-handle folds easily for storage and has cleats to hold discharge hose and pump cord.
- Lightweight and resists dents.
- Perfect for heavy-duty trucks or low-profile specifications.
- 4" heavy-duty casters for easy maneuverability.
- Ideal for use with oils or antifreeze.
- Recessed drain valve for optimal protection.
- Weight: 40 lbs



Reinforced floor posts add strength.



Pump Kit for JDI-17PLP

No. JDI-17PK

- 110v electric pump transfers fluid at 5 gpm.
- Comes with everything to complete the job.
- 8' evacuation hose.
- Weight: 6 lbs.



10-Gallon Low-Profile Portable Drain with Electric Evacuation Pump

No. JDI-AF10E

- Very low-profile drain (5") for use under a variety of vehicles.
- Drain has the same features as the JDI-LP5 and includes 4" industrial casters.
- Compact size measures 32"l x 25"w x 5"h.
- 110v electric pump transfers fluid up to 5 gpm.
- Weight: 60 lbs.



Low Profile Oil Drains

17-Gallon Low-Profile Portable Oil Drain with Optional Self-Evacuation Kit

No. JDI-LP4

- 25-gallon measured capacity (17-gallon evacuation capacity).
- Low-profile drain (9") fits under most trucks.
- Size 48"l x 25"w x 9"h.
- 6" industrial casters for easy handling.
- 38" T-handle folds down flat for easy storage.
- Expanded metal shield reduces splash.
- Drain can be emptied by gravity, evacuation pump or air evacuation.
- Weight: 144 lbs.



Air Evacuation Kit for JDI-LP4

No. JDI-EK


- Converts the JDI-LP4 into a self-evacuating drain.
- Using regular shop air, oil is easily transferred from the drain to the storage tank.
- Kit includes air regulator and safety relief valve, 10' evacuation hose, drain plug and mounting hardware.
- Weight: 2 lbs.



25-Gallon Low-Profile Portable Oil Drain with Electric Evacuation Pump

No. JDI-LP5

- 25-gallon measured capacity (22-gallon functional capacity).
- Low-profile drain (8") for large-volume vehicles.
- Size 48"l x 25"w x 8"h.
- 10' evacuation hose.
- Baffled reservoir prevents splashing when moved.
- 38" T-handle folds down flat for easy storage.
- 6" industrial casters.
- Expanded metal shield reduces splash.
- 110v electric pump.
- Weight: 97 lbs.



110V electric pump transfers fluid up to 5 gpm.

Fluid Evacuators

Fluid Evacuators remove used oil and other fluids from any vehicle using a venturi vacuum process. Great for cars, boats, motorcycles and small engines. Vacuum-charged units are completely portable and easy to use. Includes five suction probes (metal and flexible plastic) equipped with quick-disconnect couplers for fluid extraction from the dipstick tube or other opening. Adapters for BMW, Mercedes and VW are also included. Self-evacuating feature makes emptying clean and easy. An essential tool for modern European manufactured vehicles that do not include a factory installed drain plug.

6-Gallon Fluid Evacuator

No. JDI-6EV

- 6-gallon steel tank.
- 7' suction hose.
- 10' evacuation hose.
- Easy-to-read vacuum gauge.
- 7" wheels for easy handling.
- Sight tube shows fluid level.
- Storage tube for suction probes.
- Hose guard keeps suction hose from crimping.
- Weight: 45 lbs.



20-Gallon Fluid Evacuator

No. JDI-20EV

- Same features as the JDI-6EV, except this unit includes a 20-gallon tank and 4" swivel casters.
- Weight: 55 lbs.



20-Gallon Fluid Evacuator with Transparent Bowl

No. JDI-20EV-B

- Same features as the JDI-6EV, except this unit includes a 20-gallon tank, transparent bowl, and 4" swivel casters.
- Weight: 65 lbs.



20-Gallon Combination Fluid Evacuator & Oil Drain

No. JDI-20COMBO

- Two drains in one.
- Versatile drain combines the features of the JDI-25HDC self-evacuating drain with the vacuum extraction of the JDI-20EV.
- Weight: 62 lbs.



20-Gallon Combination Fluid Evacuator & Oil Drain with Transparent Bowl

No. JDI-20COMBO-B

- Same features as the JDI-20COMBO, except this unit includes a transparent bowl.
- Weight: 72 lbs

Oil Drain Funnels

14" Diameter Polyethylene Funnel

No. 20174

- For JDI-5DC and JDI-5DCK models.
- 1-1/4" diameter neck



16" Diameter Polyethylene Funnel

No. 10174

- For JDI-16DC, JD20DC, JDI-20DC-B, and JDI-22DCX models.
- 1-1/2" diameter neck



16" Deep-Drawn, Offset Steel Funnel with Expanded Screen

No. 20DCE-1

- For JDI-16DC-E, JDI-20DC-E, JDI-20COMBO, JDI-22DCX, JDI-25HDC, JDI-27DC and JDI-27GFD models.
- 3/4" standard thread



No. 8DCP-FUN

- 18" diameter funnel for JDI-8DCP.
- 1-7/8" diameter neck



Quick-Disconnect Fluid Couplers

3/4" male coupler

No. HA-15242-00



3/4" female coupler

No. HA-15241-00

- For use with evacuation pump systems.
- Both have 3/4" NPT female threads.



16-Gallon/120-Lb. Drum Dolly

No. JDI-16B

- Band-type for use with 16-gallon, 120-lb. steel drum.
- Includes four 3" swivel casters.



Swivel Caster & Rear Wheel

4" HD Swivel Caster

No. 20DCE-3

- Fits drains: JDI-15DP, JDI-16DC-E, JDI-20EV, JDI-20DC-E, JDI-20DC-EA, JDI-20COMBO, JDI-20COMBO-B, JDI-25HDC and JDI-3726.



7" HD Rear Wheel

No. 20DCE-7

- Fits drains: JDI-5DP, JDI-6EV, JDI-15DP, JDI-16DC-E, JDI-20DC-E, JDI-20COMBO, JDI-20EV, and JDI-3726.

Hoses

No. 25HDC-1

- Evacuation hose fits JDI-25HDC.



No. 20DCE-2

- Evacuation hose fits JDI-20DC-E, JDI-20EV, JDI-27DC and JDI-20COMBO.



No. 6EV-3

- Suction hose for JDI-6EV and JDI-20EV.



Hose Spout

No. JDI-90H

- Optional spout for self-evacuating drains where permanent hose attachment is not practical.
- Fits any hose with a 3/4" NPT (M) fitting.



Oil Drain Conversion Kit

No. 61431-2

- Converts most gravity drains to work with an evacuation pump system.
- Includes 3/4" nipple, drain valve and male quick-disconnect coupler (HA-15242-00).
- Requires female quick-disconnect for suction hose (HA-15241-00 sold separately).



Fluid Evacuators Probes

No.	Type	OD	Lgth.
PR5-700	Flex	3/16"	27"
PR6-700	Flex	1/4"	27"
PR8-700	Flex	5/8"	27"
PR8-1500*	Flex	5/8"	59"
PRM5-700	Metal	3/16"	27"
PRM6-700	Metal	1/4"	27"

*Optional probe not included with evacuators.

Fluid Evacuator Adapters

No.	Type
ADP-VW	Golf Adapter
ADP-BMW	BMW Adapter
ADP-MCD	Mercedes Adapter



No. ADP-VW



No. ADP-BMW



No. ADP-MCD

Economy Self-Evacuating Fluid Drain/Index



16-Gallon Auto-Empty Fluid Drain

No. J16EAD

- Equipped with "Auto-Check" Technology.
- Eliminates "oil shower" risk.
- Makes emptying automatic.
- Includes air regulator.
- Uses shop air to empty tank.
- 15" large, steel funnel with built-in screen.
- Locking drain tube extends 36" to 59".
- 6' evacuation hose doubles as fluid level sight tube.
- Two 5" fixed wheels and two 2" casters make it easy-to-maneuver.
- 16-gallon steel tank.
- Compact design takes less space and makes storage easier.
- For use on oils, coolants and other non-flammable fluids.
- Weight: 48 lbs.



Part No.	Page No.
10174	10
20174	10
20DCE-1	10
20DCE-2	10
20DCE-3	10
20DCE-7	10
25HDC-1	10
61431-2	10
6EV-3	10
8DCP-FUN	10
ADP-BMW	10
ADP-MCD	10
ADP-VW	10
HA-15241-00	10
HA-15242-00	10

Part No.	Page No.
JD-2436	3
JDI-6EV	9
JDI-3610	9
JDI-5DCK	2
JDI-8DCP	3
JDI-16B	10
JDI-16DC-E	5
JDI-17PK	7
JDI-17PLP	7
JDI-18DCP	3
JDI-20COMBO	9
JDI-20COMBO-B	9
JDI-20EV	9
JDI-20EV-B	9
JDI-22DCX	4
JDI-22DCAF	4

Part No.	Page No.
JDI-25HDC	6
JDI-26HDC-EA	6
JDI-27DC	6
JDI-27GFD	5
JDI-90H	10
JDI-AF10E	7
JDI-EK	8
JDI-LP4	8
JDI-LP5	8
PR5-700	10
PR6-700	10
PR8-700	10
PR8-1500	10
PRM5-700	10
PRM6-700	10
J16EAD	11